





DK427, DK427H Rhino-Rack VA, Euro & HD crossbar instruction

CONTROLLED


CROSSBAR IDENTIFICATION







VA crossbar



EURO crossbar



HD crossbar


			FRONT CROSSBAR					REAR CROSSBAR						
														
Vehicle	Date	Crossbar	Front Right Pad/Clamp	Front Left Pad/Clamp	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction	Rear Right Pad/Clamp	Rear Left Pad/Clamp	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction		
Ford F150 SuperCrew	2015 - on	1500mm	M700 SUB0149	M699 SUB0149	169mm	114mm	1226mm / 48, 17/64"	OUT	M700 SUB0149	M699 SUB0149	166mm	160mm	1220mm / 48, 1/32"	OUT
			Pad Arrow Forward						Pad Arrow Forward					
Ford F150 SuperCab	2015 - on	1500mm	M700 SUB0149	M699 SUB0149	169mm	114mm	1226mm / 48, 17/64"	OUT	M700 SUB0149	M699 SUB0149	166mm	160mm	1220mm / 48, 1/32"	OUT
			Pad Arrow Forward						Pad Arrow Forward					
Chevrolet Silverado GMC Sierra Cew Cab	2019 - on	1500mm	M700 SUB0149	M699 SUB0149	130mm	75mm	1148mm / 45 3/16"	OUT	M700 SUB0149	M699 SUB0149	125mm	119mm	1138mm / 44 13/16"	OUT
			Pad Arrow Forward						Pad Arrow Forward					
Chevrolet Silverado GMC Sierra-Double Cab	2019 - on	1500mm	M700 SUB0149	M699 SUB0149	128mm	73mm	1144mm / 45, 1/16"	OUT	M700 SUB0149	M699 SUB0149	127mm	121mm	1142mm / 44, 15/16"	OUT
			Pad Arrow Forward						Pad Arrow Forward					




DK427, DK427H Rhino-Rack VA, Euro & HD crossbar instruction

CONTROLLED


CROSSBAR IDENTIFICATION






VA crossbar



EURO crossbar



HD crossbar

			FRONT CROSSBAR						REAR CROSSBAR					
														
Vehicle	Date	Crossbar	Front Right Pad/Clamp	Front Left Pad/Clamp	Measurement strip length per side		Measurement Distance (x)	Foot plate arrow direction	Rear Right Pad/Clamp	Rear Left Pad/Clamp	Measurement strip length per side		Measurement Distance (x)	Foot plate arrow direction
Chevrolet Silverado GMC Sierra HD Crew Cab	2020 - on	1500mm	M700 SUB0149	M699 SUB0149	130mm	75mm	1148mm / 45 3/16"	OUT	M700 SUB0149	M699 SUB0149	125mm	119mm	1138mm / 44 13/16"	OUT
			Pad Arrow Forward						Pad Arrow Forward					
Chevrolet Silverado GMC Sierra HD Double Cab	2020 - on	1500mm	M700 SUB0149	M699 SUB0149	128mm	73mm	1144mm / 45, 1/16"	OUT	M700 SUB0149	M699 SUB0149	127mm	121mm	1142mm / 44, 15/16"	OUT
			Pad Arrow Forward						Pad Arrow Forward					



DK427, DK427H Rhino-Rack VA, Euro & HD crossbar instruction


CONTROLLED

Measurement A: CENTRE of door jamb to CENTRE arrow of leg foot plate.


Measurement B: CENTRE of Front leg foot plate arrow to CENTRE of Rear leg foot plate arrow.

Carrying capacity: Roof rack is rated to 75kg. Please refer to manufacturers handbook for your vehicles maximum roof load capacity. Always use the lower of the two figures.

If your vehicle is not listed on this fitting instruction please refer to your countries Rhino-Rack web site for the latest information.



Direction of Pad Arrow and Foot Plate Arrow



VEHICLE	Date	Measurement A	Measurement B	Measurement C	Load Rating (includes racks 5kg/ 11lbs)
Ford F150 SuperCrew	2015 - on	280mm / 11,1/32"	800mm / 31,1/2"	520mm / 20,15/32"	75kg / 165lbs
Ford F150 SuperCab	2015 - on	280mm / 11,1/32"	700mm / 27,9/16"	420mm / 16, 9/16"	75kg / 165lbs
Chevrolet Silverado / GMC Sierra Crew Cab	2019 - on	280mm / 11,1/32"	800mm / 31,1/2"	520mm / 20,15/32"	75kg / 165lbs
Chevrolet Silverado / GMC Sierra Double Cab	2019 - on	280mm / 11,1/32"	700mm / 27,9/16"	420mm / 16, 9/16"	75kg / 165lbs
Chevrolet Silverado HD / GMC Sierra HD Crew Cab	2020 - on	280mm / 11,1/32"	800mm / 31,1/2"	520mm / 20,15/32"	75kg / 165lbs
Chevrolet Silverado HD/ GMC Sierra HD Double Cab	2020 - on	280mm / 11,1/32"	700mm / 27,9/16"	420mm / 16, 9/16"	75kg / 165lbs