



BLOX RACING 300LPH FUEL PUMP INSTALLATION GUIDE



**THIS PRODUCT AND INSTALLATION REQUIRE
COMPLETE ATTENTION TO PROPER SAFETY
PROCEDURES.**

**IF YOU DO NOT KNOW HOW TO INSTALL THIS PRODUCT,
CONTACT A TRAINED TECHNICIAN.**

**WORKING WITH FUEL CAN LEAD TO SERIOUS INJURIES
OR EVEN DEATH.**

BLOX Racing 300LPH electric fuel pumps are designed as a direct replacement or high performance upgrade for fuel systems requiring additional flow for high horsepower naturally aspirated and forced induction engine builds.

The compact design provides an OEM fitment and accommodates a wider range of new vehicle applications. BLOX 300LPH pumps provide over 300LPH at 45PSI*, consistently and reliably.

BLOX Racing 300LPH fuel pumps are

- Electric, in-tank
- For gasoline engines
- Ethanol compatible
- Not intended for carbureted engines
- Not intended for external use

WARNING

- NEVER RUN FUEL LINES THROUGH THE INTERIOR OF THE VEHICLE
 - NEVER RUN FUEL LINES NEAR BATTERY CABLES
- PROTECT FUEL LINES FROM EXTREME HEAT SOURCES AND ROAD HAZARDS
 - FUEL LINES SHOULD BE NEW AND CLEAN
- FUEL PUMP VAPOR PURGE HOLE SHOULD BE CLEAN AND CLEAR OF ANY OBSTRUCTIONS OR RESTRICTIONS
- ALWAYS TAKE PROPER SAFETY PRECAUTIONS WHEN WORKING WITH FUEL
- ALWAYS CHECK THE CONDITION AND QUALITY OF FUEL LINES AND RELATED COMPONENTS AND REPLACE WITH NEW AS NEEDED
 - ALWAYS CHECK FOR CORRECT POLARITY BEFORE WIRING
- CONFIRM THAT OTHER FUEL COMPONENTS CAN SUPPLY THE CORRECT AMOUNT OF FUEL FLOW REQUIRED TO PREVENT SEVERE ENGINE DAMAGE
 - ALWAYS CHECK FOR FUEL LEAKS BEFORE STARTING THE VEHICLE

**BLOX™**

PSI	LBS/HR	LBS/HR - E85	L/MIN AVG	L/HR	AMPS
40	487.00	538.05	5.22	313.00	10.57
45	469.67	518.90	5.03	302.00	10.83
50	453.00	500.48	4.86	291.60	11.20
55	436.00	481.70	4.68	280.60	11.57
60	421.33	465.50	4.52	271.00	11.87
65	406.33	448.92	4.36	261.80	12.30
70	388.67	429.41	4.17	250.00	12.60
75	374.33	413.57	4.01	240.80	12.93
80	357.33	394.79	3.83	229.80	13.30
85	341.00	376.74	3.66	219.40	13.63
90	322.33	356.12	3.46	207.60	13.97
95	303.00	334.76	3.25	195.00	14.33
100	285.00	314.87	3.05	183.00	14.67

TESTING NOTES:**13.2 VOLTS****SPECIFIC GRAVITY 0.706 @ 74 F****RELIEF VALVED OPENED @ 123.33 PSI****FULL OPENING @ 131.33 PSI**

* *Independent fuel pump flow testing performed by **Kinsler Fuel Injection**
Published results calculated using averages of testing data*

DISCLAIMER

Some BLOX Racing products are legal for sale and use in CA only on vehicles which may never be used on public roads and highways. However, it is the buyer's responsibility to check and comply with all local, state and federal laws before installing and using BLOX Racing performance products and accessories. The installation and use of BLOX Racing products may also affect or void a vehicle's original manufacturer warranty and insurance coverage. BLOX Racing assumes no responsibility for any damage or injury to persons or property resulting in improper installation, misuse or abuse of any product and will not be responsible for any claims of loss of profit, labor and delay, indirect, incidental or consequential damages that might be claimed as a result of failure of any part. BLOX reserves its right, without notice, to make changes, updates or revisions to materials, specifications, product design, part numbers, packaging and labeling without incurring any obligation to the buyer for previously purchased merchandise.

No warranty whatsoever will be valid if the defect was caused by abuse, negligence, mishandling, and/or improper installation or tuning. BLOX Racing reserves its rights for determining and executing all warranty claims. BLOX Racing warrants all products to be free of defects in materials and workmanship under normal use for a period of fifteen (15) months from the date of retail purchase. Any products being returned must be determined by BLOX Racing to be defective. All products found to be under warranty will be repaired or replaced by BLOX Racing.

BLOX RACING / 44101 S. GRIMMER BLVD / FREMONT / CA / 94538

Tel: 510.440.1605 / www.bloxracing.com