

B9 2.9T / 3.0T Oil Filler Cap**034 MOTOR SPORT**

The 034Motorsport Billet Oil Cap for EA839 Turbocharged 3.0 TFSI Engines is designed to replace your factory plastic oil cap. The 034Motorsport Billet Oil Cap is CNC machined from 6061-T6 aluminum and is anodized bright black for lifelong great looks, topped off with a 034Motorsport logo. Transform the engine bay of your EA839 Turbocharged 3.0 TFSI equipped car with the beautiful and sexy 034Motorsport Billet Oil Cap.

Installation Spiciness Rating: MILD



Installation of your billet 034Motorsport oil cap is a very straightforward process that should take approximately 10 minutes.

Supplied Parts:

- 034Motorsport billet oil cap

Tools Needed:

- (2x) Hands
- Oil Cap Removal Tool (Optional)

Getting Started

Confirm you have received all the parts included with your purchase by reading the complete guide, if there are missing components, please contact:

techsupport@034motorsport.com

About This Guide

This Install Guide documents the installation process on a B9 Audi RS5. There may be minor differences depending on specific vehicle, market, options, etc.

Install Steps

Step 1

Open your hood and locate the oil cap.



Step 2

Remove the factory oil cap.



Step 3

Install the new 034 oil cap.



Step 4

Job well done. Let's grab a cold beverage and admire the billet beauty.



Step 5 (Post Installation)

With your new 034 billet oil cap, you may find it difficult to remove and install on a hot car (unless you have Nomex hands.) Look no further than our super duper oil cap removal tool. Simply download the STL file, and 3D print with a high temperature resistant material (Nylon CF or equiv.) Keep this tool handy in your vehicle at all times.

**Step 6**

To loosen, turn the tool counterclockwise.
To tighten, turn clockwise until snug.
Do not overtighten or your 3D printed tool may break!

