


MB1254 - Assembly Instructions High Clearance Rear Inner Fender for JL/JLU







MB1254 - HIGH CLEARANCE REAR INNER FENDER FOR JL / JLU

COMPATIBLE WITH MB1102 & MB1199 REAR FLARE



ASSEMBLY INSTRUCTIONS

MB1254 - Shipping High Clearance Rear Inner Fender for JL/JLU



Button Head Screw
#10-24 x 1/2" Long
Qty 36
(includes 2 spares)

Nylock Nut
#10-24
Qty 8
(Includes 2 spares)


Countersunk Screw
1/4"-20 x 1" Long
Qty 4

Flat Washer
1/4"
Qty 4


Nylock Nut
1/4"-20
Qty 4

MB1254 - Assembly Instructions High Clearance Rear Inner Fender for JL/JLU

STEP 1



Passenger Side Pre-Assembly




Driver Side Pre-Assembly

MB1254 - Assembly Instructions High Clearance Rear Inner Fender for JL/JLU

STEP 2


USE EXISTING HOLES
IN MB1199 FENDER

MB1199 FENDER PASSENGER
SHOWN HERE, ALSO COMPATIBLE
WITH MB1102 FENDERS



Passenger Side


**INSTALL MB1254-04 BEHIND FENDER BODY USING
TWO HOLES FROM FENDER MB1199**



REPEAT FOR DRIVER SIDE USING MB1254-04_MIR


MB1254 - Assembly Instructions High Clearance Rear Inner Fender for JL/JLU

STEP 3



Passenger Side

INSTALL PRE-ASSEMBLED PASSENGER SIDE INNER FENDER ASSEMBLY & FASTEN



REPEAT FOR DRIVER SIDE