



**ROCK HARD 4X4 JEEP WRANGLER JL 2/4-DOOR AND  
GLADIATOR JT  
2018 - CURRENT TUBULAR ROCKER GUARD  
PART #: RH-901XX  
Installation Manual**



Customer Service / Tech Support: [sales@rockhard4x4.com](mailto:sales@rockhard4x4.com)  
Thank you for your purchase! Please read all instructions carefully prior to  
beginning installation of your Rock Hard 4x4 product.

## **PACKING LIST:**

### **4-DOOR MODEL**

- 12 - 5/16" NYLOCK NUTS FOR PINCH WELD BOLTS
- 4 - RECTANGLE WASHERS (2 HOLES PER)
- 4 - SQUARE WASHERS (1 HOLE PER)
- 6 - 8MM x 1.25 x 30 BOLTS (IF FACTORY GUARDS NOT INSTALLED - SPORT MODEL)
- 6 - 5/16" WASHERS FOR FLOOR MOUNT BOLTS
- 6 - 12MM x 1.75 x 100 BOLTS (OPTIONAL BODY MOUNT BOLT REPLACEMENTS)
- 6 - 1-5/8" BLACK BODY MOUNT BOLT WASHERS IF NOT USING FACTORY BODY MOUNT BOLTS

### **2-DOOR MODEL**

- 8 - 5/16" NYLOCK NUTS FOR PINCH WELD BOLTS
- 2 - RECTANGLE WASHERS (2 HOLES PER)
- 4 - SQUARE WASHERS (1 HOLE PER)
- 4 - 8MM x 1.25 x 30 BOLTS (IF FACTORY GUARDS NOT INSTALLED - SPORT MODEL)
- 4 - 5/16" WASHERS FOR FLOOR MOUNT BOLTS
- 4 - 12MM x 1.75 x 100 BOLTS (OPTIONAL BODY MOUNT BOLT REPLACEMENTS)
- 4 - 1-5/8" BLACK BODY MOUNT BOLT WASHERS IF NOT USING FACTORY BODY MOUNT BOLTS

## **GLADIATOR JT**

- 16 - 5/16" NYLOCK NUTS FOR PINCH WELD BOLTS
- 6 - RECTANGLE WASHERS (2 HOLES PER)
- 4 - SQUARE WASHERS (1 HOLE PER)
- 8 - 8MM x 1.25 x 30 BOLTS (IF FACTORY GUARDS NOT INSTALLED - SPORT MODEL)
- 8 - 5/16" WASHERS FOR FLOOR MOUNT BOLTS
- 6 - 12MM x 1.75 x 100 BOLTS (OPTIONAL BODY MOUNT BOLT REPLACEMENTS)
- 2 - 12MM x 1.75 BOLTS x 210 (REAR LONG BODY MOUNT BOLT REPLACEMENT)
- 8 - 1-5/8" BLACK BODY MOUNT BOLT WASHERS IF NOT USING FACTORY BODY MOUNT BOLTS

## **REQUIRED TOOLS:**

- 13MM SOCKET
- 18MM SOCKET
- 19MM SOCKET
- 10MM SOCKET
- 8MM SOCKET

1/2" DRILL BIT (OPTIONAL IF PINCH SEAM ISN'T ALIGNED FROM FACTORY)

Customer Service / Tech Support: [sales@rockhard4x4.com](mailto:sales@rockhard4x4.com)

Thank you for your purchase! Please read all instructions carefully prior to beginning installation of your Rock Hard 4x4 product.

**Thank you for your purchase! Whether you bought this Rock Hard 4x4 product from one of our fantastic dealers or our factory direct team, we thank you for your business.**

Rock Hard 4x4 is a family owned and operated business. We are headquartered in Saint Paul, Nebraska where we design, fabricate, and produce every single one of our products. Every single part we manufacture is 100% Made in the USA and exclusively in house by the Rock Hard 4x4 team.

We outsource zero processes.

**To you**, that means the product you are installing is the highest quality and longest lasting component on the market.

**To us**, that means you've selected a part we've spent years developing. Each Rock Hard 4x4 part has gone through more research and development and evolution than most people realize. While our parts may have the same striking look year after year, subtle revisions and refinements we implement maintain their status as the most durable and easy to install on the market.

We invite you to send us your feedback! Please email, call, write, or catch us on an off road trail near you to share your tales, share comments, and ask questions.

Phone: 844-762-5427

Fax: 308-754-5201

Email: [sales@rockhard4x4.com](mailto:sales@rockhard4x4.com)

Site: [www.rockhard4x4.com](http://www.rockhard4x4.com)

Mail: ROCK HARD 4X4

PO BOX 186

Saint Paul, NE 68873

Customer Service / Tech Support: [sales@rockhard4x4.com](mailto:sales@rockhard4x4.com)

Thank you for your purchase! Please read all instructions carefully prior to beginning installation of your Rock Hard 4x4 product.

1. Remove factory rocker guards or steps if equipped. Remove factory body mount bolts.
2. Install Rock Hard 4x4 tubular rocker guards into factory pinch weld holes.

***NOTE: It's rare, but the stamping process when your tub is mated to your floor pan may result in misaligned pinch seam holes. A quick enlarging with a drill bit will help our bolts slip into these holes easier.***

3. Install RECTANGLE washer plates over rear and center sets of pinch weld bolts, install 2 square washers on front studs. Loosely install nylock nuts. Do not tighten yet.



4. Reinstall factory body mount bolts with factory washers using 18MM socket OR use supplied replacement body mount bolts using 19MM with large black washers, do not tighten. If Gladiator, use longest bolts in 2 rear body mounts at truck bed.
5. Install supplied 8MM bolts with 5/16 washers through floor pan braces using 13MM socket, do not tighten.
6. Make any final fitment adjustments to sliders, tighten all hardware.

Customer Service / Tech Support: [sales@rockhard4x4.com](mailto:sales@rockhard4x4.com)

Thank you for your purchase! Please read all instructions carefully prior to beginning installation of your Rock Hard 4x4 product.

## **Rock Hard 4x4 Exclusive Limited Lifetime Warranty**

*Your Rock Hard 4x4® branded accessories are covered by the following Limited Warranty provided exclusively by Rock Hard 4x4., 1005 Twin Forks Lane, St. Paul, NE 68873.*

*This Limited Warranty is the only warranty made in connection with your purchase. Rock Hard 4x4 neither assumes nor authorizes any vendor, retailer or other person or entity to assume for it any other obligation or liability in connection with this product or Limited Warranty.*

*What is Covered: Subject to the terms, exclusions and limitations herein and with respect only to Rock Hard 4x4 branded accessories first sold in the United States, Rock Hard 4x4 warrants to the initial retail purchaser only that your Rock Hard 4x4 accessory shall be free of defects in material and workmanship for the lifetime of this product.*

*Rock Hard 4x4 reserves the rights to: (a.) require invoice or other proof your accessory is within the terms of this Limited Warranty as a condition of warranty service and, (b.) make future revisions to this product and Limited Warranty without prior notice or obligation to upgrade your product.*

**What is Not Covered:** *Your Rock Hard 4x4 Limited Warranty does not cover products or parts Rock Hard 4x4 determines to have been damaged by or subjected to:*

*(a.) Installation damage, alteration, modification, combination with other parts, failure to maintain or improper repair or service, (b.) normal wear & tear, cosmetic damage or damage from moisture or water immersion, (c.) Acts of God, accidents, misuse, negligence, inadequate mounting or impact with vehicle(s), obstacles or other aspects of the environment, (d.) theft, vandalism or other intentional damage. (e.) powder coat, anodizing, or paint finish.*

**Remedy Limited to Repair/Replacement:** *The exclusive remedy provided hereunder shall, upon Rock Hard 4x4 inspection and at Rock Hard 4x4's option, be either repair or replacement of product or parts (new or refurbished) covered under this Limited Warranty. Customers requesting warranty consideration should first contact Rock Hard 4x4 to obtain a RGA number (308-750-4690). All labor, removal, shipping and installation costs are customer's responsibility.*

**Your Rights Under State Law:** *In consideration of the purchase price paid, neither Rock Hard 4x4 nor any independent Rock Hard 4x4 distributor/licensee are responsible for any time loss, rental costs, or for any incidental, consequential, punitive or other damages you may have or incur in connection with any part or product purchased.*

Customer Service / Tech Support: [sales@rockhard4x4.com](mailto:sales@rockhard4x4.com)

Thank you for your purchase! Please read all instructions carefully prior to beginning installation of your Rock Hard 4x4 product.