

Stock	
Period (us)	Mass Airflow (kg/hr)
6.4	950.0
12.8	950.0
19.2	950.0
25.6	950.0
32.0	950.0
38.4	950.0
44.8	950.0
51.2	950.0
57.6	950.0
64.0	950.0
70.4	950.0
76.8	950.0
83.2	943.6
89.6	903.0
96.0	863.7
102.4	825.7
108.8	789.0
115.2	753.7
121.6	719.7
128.0	687.1
134.4	656.0
140.8	626.2
147.2	597.5
153.6	569.8
160.0	542.4
166.4	515.7
172.8	490.8
179.2	467.5
185.6	445.3
192.0	424.5
198.4	404.9
204.8	386.1
211.2	369.5
217.6	352.5
224.0	336.6
230.4	321.6
236.8	307.6
243.2	293.6
249.6	279.4
256.0	265.8
262.4	252.7
268.8	240.4
275.2	227.7
281.6	215.1

AMS	
Period (us)	Mass Airflow (kg/hr)
6.4	950.0
12.8	950.0
19.2	950.0
25.6	950.0
32.0	950.0
38.4	950.0
44.8	950.0
51.2	950.0
57.6	950.0
64.0	950.0
70.4	950.0
76.8	950.0
83.2	950.0
89.6	950.0
96.0	950.0
102.4	950.0
108.8	950.0
115.2	950.0
121.6	950.0
128.0	950.0
134.4	950.0
140.8	937.0
147.2	897.2
153.6	863.4
160.0	832.6
166.4	804.8
172.8	774.8
179.2	747.1
185.6	721.3
192.0	696.7
198.4	671.0
204.8	644.7
211.2	618.5
217.6	594.2
224.0	569.3
230.4	547.1
236.8	522.6
243.2	499.1
249.6	471.1
256.0	445.6
262.4	419.8
268.8	396.2
275.2	370.6
281.6	346.3

288.0	203.4
294.4	191.9
300.8	181.2
307.2	171.9
313.6	163.2
320.0	154.9
326.4	147.1
332.8	139.4
339.2	132.0
345.6	124.7
352.0	117.7
358.4	110.9
364.8	104.5
371.2	98.3
377.6	92.7
384.0	87.4
390.4	82.2
396.8	77.2
403.2	72.5
409.6	67.8
416.0	63.2
422.4	58.8
428.8	54.4
435.2	50.3
441.6	46.4
448.0	42.5
454.4	38.9
460.8	35.3
467.2	32.0
473.6	29.0
480.0	26.0
486.4	23.3
492.8	20.7
499.2	18.4
505.6	16.3
512.0	14.2
518.4	12.1
524.8	10.0
531.2	7.7
537.6	5.3
544.0	2.5
550.4	-3.4
556.8	-7.1
563.2	-9.6
569.6	-12.0
576.0	-14.4
582.4	-17.0

288.0	324.2
294.4	306.1
300.8	290.8
307.2	276.9
313.6	262.2
320.0	246.1
326.4	229.2
332.8	214.0
339.2	201.5
345.6	191.0
352.0	181.3
358.4	171.5
364.8	162.0
371.2	153.2
377.6	144.4
384.0	135.7
390.4	126.2
396.8	117.2
403.2	108.3
409.6	100.6
416.0	93.5
422.4	86.8
428.8	80.4
435.2	74.0
441.6	67.9
448.0	61.9
454.4	56.7
460.8	51.7
467.2	47.3
473.6	42.9
480.0	38.9
486.4	34.8
492.8	31.1
499.2	27.8
505.6	24.5
512.0	21.3
518.4	18.4
524.8	15.9
531.2	13.3
537.6	10.0
544.0	6.5
550.4	2.7
556.8	-1.3
563.2	-6.0
569.6	-9.7
576.0	-14.1
582.4	-17.0

588.8	-19.7
595.2	-22.5
601.6	-25.5
608.0	-28.6
614.4	-31.9
620.8	-35.3
627.2	-38.9
633.6	-42.7
640.0	-46.6
646.4	-50.7
652.8	-54.9
659.2	-59.3
665.6	-64.0
672.0	-68.7
678.4	-70.0
684.8	-70.0
691.2	-70.0
697.6	-70.0
704.0	-70.0
710.4	-70.0
716.8	-70.0
723.2	-70.0
729.6	-70.0
736.0	-70.0
742.4	-70.0
748.8	-70.0
755.2	-70.0
761.6	-70.0
768.0	-70.0
774.4	-70.0
780.8	-70.0
787.2	-70.0
793.6	-70.0
800.0	-70.0
806.4	-70.0
812.8	-70.0
819.2	-70.0

588.8	-19.8
595.2	-22.7
601.6	-25.6
608.0	-28.8
614.4	-32.0
620.8	-35.5
627.2	-39.1
633.6	-42.8
640.0	-46.8
646.4	-50.8
652.8	-54.9
659.2	-59.3
665.6	-64.0
672.0	-68.7
678.4	-70.0
684.8	-70.0
691.2	-70.0
697.6	-70.0
704.0	-70.0
710.4	-70.0
716.8	-70.0
723.2	-70.0
729.6	-70.0
736.0	-70.0
742.4	-70.0
748.8	-70.0
755.2	-70.0
761.6	-70.0
768.0	-70.0
774.4	-70.0
780.8	-70.0
787.2	-70.0
793.6	-70.0
800.0	-70.0
806.4	-70.0
812.8	-70.0
819.2	-70.0

ROM - 0000260D-029-010-234-..._AMS INTAKE_V5_TUNED.bin (0000260D-029-010-234 - S55 M3 DCT US)

File Edit View Colouring Logging

Map Access Log to File Auto Logging Log Mark 0 Open Last Log... Find logs...

Maps Live Data File properties RaceROM Live Graphs

Name User Level Origin

- RaceROM Custom inputs
- RaceROM Custom Maps
- RaceROM FlexFuel
- RaceROM Map Switching
- RaceROM Sports Display
- Sensors
 - Acceleration
 - Accelerator Pedal
 - Ambient Air Pressure
 - Ambient Pressure
 - Atmospheric Pressure
 - Battery Voltage
 - BGBH: Calculated size Blockheater (recognition)
 - BGCCM: Calculated Size Check Control Message
 - BGFZGEN: Calculate size of generator utilization profiles
 - BGFZMD: Calculate size vehicle benefit profile for torque and speed
 - BGICMVERL: Calculated quantities ICM Loss moments
 - BGTABST: Calculated size stop time
 - Brake and Clutch Switch
 - Brake Boost Vacuum
 - Calculated size oxygen storage capacity
 - Camshaft Oil Pressure
 - Coolant Temperature
 - Electronic Wastegate
 - Engine Oil Pressure
 - Fuel Level
 - Fuel Rail Pressure
 - Fuel Tank Level
 - Gear Detection
 - GGAIRB: Encoder size airbag
 - HEGO
 - Intake Air Temperature
 - Intake Manifold Pressure
 - Knock
 - Low Pressure Fuel System Pressure
 - LSU
 - Mass Air Flow
 - Diagnostics
 - CWGGHFM Beta OEM
 - CWHFMFLSA Beta OEM
 - CWHFMRSE Beta OEM
 - FMSDKGGHFM Beta OEM
 - MAF Sensor Correction Intermediate OEM
 - ☒ Mass Airflow Sensor Scaling Intermediate OEM
 - MLDHFMMKO Beta OEM
 - MLDKFHFM MSHFMTMP - Mass flow of HFM in dependence of period duration Beta OEM
 - MLMIN Beta OEM
 - MSFKFILT Beta OEM
 - MSFKFILT2 Beta OEM
 - MSHFMTMP2 Beta OEM
 - MSHFMTPKL Beta OEM
 - MSHFMTPKL2 Beta OEM
 - NPULSHFMMN Beta OEM
 - SF_HFM Beta OEM
 - TDBBNVHFM Beta OEM
 - TDEHFMSG Beta OEM
 - TDHEHFME Beta OEM
 - TPMSHFMMN Beta OEM
 - TPMSHFMMX Beta OEM
 - UBHFMMN Beta OEM
 - MED2EnvT: Interface adapter ambient temperature
 - Neutral Position Sensor
 - Oil Sensor Plausibility Checking
 - OilCmbdSen_DD: Hardware Interface for combined oil sensor
 - Temperature Control Unit
 - Throttle Input Pressure
 - Throttle Position

File CRC was '9BD8 0B29' when loaded.



